



# Ergotron®

## Neo-Flex® Mobile MediaCenter

### Highlights



- Move digital signage and images to where you need them
- Rotate your display to portrait or landscape orientation—no need to reinstall display
- Optional camera shelf accessory converts any space into a videoconference center
- Easily roll cart through standard-size doorways and over thresholds
- Narrow footprint allows presenter to move closer to the display; easily tucks into corners or nests with other carts for space-saving storage
- Constant Force CF technology enables smooth, effortless portrait-to-landscape rotation, tilt and height adjustment. Adjusts with just a touch—no knobs or levers
- Modular cable management channels conceal and organize cables
- Maximize your technology investment by sharing a large display over multiple rooms
- Second-generation design and 47 separate quality tests ensure reliability and optimum performance
- Speedy assembly and installation



### Stretch your display media investment with lift, tilt, rotation and mobility

Bring digital content to life with Ergotron's sleek Neo-Flex Mobile MediaCenter. With effortless height adjustment and integrated portrait-to-landscape capability, this cart stretches your investment by serving a variety of projection needs in rooms throughout a facility. Built with the same unparalleled features as the award-winning LX Large Display Cart, the Mobile MediaCenter's affordability, simple assembly and effortless operation make it perfect for digital signage, conferencing and other applications.



- Complies with UL Tip Standards 1667 and 1678
- Rugged plastic-composite shelf conveniently attaches to cart at any height
- Modular cable channel system is adaptable for various wiring configurations
- Portrait orientation is not recommended for some plasma displays. Contact display manufacturer if you have questions regarding your plasma's portrait-mode capability (this is not an issue with LCD technology)
- CPUs attach safely to rear of cart with Universal CPU Holder accessory (ordered separately). Compatible with CPU sizes from 12" H x 3" D to 18" H x 8.5" D (300 x 80 mm to 460 x 220 mm)

Small CPUs with VESA hole-mounting pattern can be mounted behind the display with the MMC VESA-CPU Mount (ordered separately); VESA-compliant (75/100 mm) thin client CPU must have either a 75 x 75 mm or 100 x 100 mm mounting hole pattern.

- Add the MMC Camera Shelf Kit (97-491-085, ordered separately) to place adjustable camera shelf above the display
- Three-year warranty



LD LCD Size	LCD Weight*	Lift	Tilt	Pan	Rotation	VESA
27–55"	25–50 lbs 11,4–22,7 kg	20" 51 cm	20°	—	90°	MIS-D/E/F

VHD LCD Size	LCD Weight*	Lift	Tilt	Pan	Rotation	VESA
37–60"	50–90 lbs 22,7–40,9 kg	20" 51 cm	20°	—	90°	MIS-D/F

UHD LCD Size	LCD Weight*	Lift	Tilt	Pan	Rotation	VESA
50–70"	90–120 lbs 40,9–54,4 kg	20" 51 cm	20°	—	90°	MIS-D/F

\* Weight capacity: main shelf = 30 lbs (13,6 kg); cable shelf = 5 lbs (2,2 kg); if MMC Camera Shelf Kit is added, display weight capacity is diminished by 3 lbs (1,4 kg); if 800 mm Kit is added the display weight capacity is diminished by 5 lbs (2,3 kg)

Save time and money utilizing a network of certified professionals to deploy Ergotron's fleet of Neo-Flex carts. See our Service Program page on [Ergotron.com](http://Ergotron.com) for more information.



Product Name	Neo-Flex Mobile MediaCenter LD, 24-190-085 (black) Neo-Flex Mobile MediaCenter VHD, 24-191-085 (black) Neo-Flex Mobile MediaCenter UHD, 24-192-085 (black)
Product Includes	Neo-Flex cart, display and pan assembly, lower main shelf, 4" (100 mm) casters (two locking), rear cable shelf, cable channel kit Videoconferencing equipment is not included
Shipping Dimensions	66"L x 20"H x 14"D (1680 x 503 x 335 mm)
Shipping Weight	122 lbs (55 kg)
Compatible Display(s)	LD version: displays weighing 25–36 lbs (11.4–16.3 kg) = 75 x 75, 100 x 100, 200 x 100, 100 x 200; displays weighing 25–55 lbs (11.4–22.7 kg) = 200 x 200, 400 x 200, 200 x 400, 400 x 400, 600 x 200, 600 x 400
Mounting hole patterns = Width x Height in mm	VHD version: horizontal measurement = 200 mm, 400 mm, or 600 mm. Vertical measurement = 200 mm or 225 mm to 400 mm. With optional 800 mm Accessory Kit (97-489, ordered separately), horizontal measurement can be expanded to 800 mm or 660 mm UHD version: horizontal measurement = 200 mm, 400 mm, or 600 mm. Vertical measurement = 200 mm or 225 mm to 400 mm. With optional 800 mm Accessory Kit (97-489, ordered separately), horizontal measurement can be expanded to 800 mm or 660 mm



© 2011 Ergotron, Inc. rev. 11/02/2011 e-05-087-EA Content is subject to change without notification

Americas Sales and Corporate Headquarters	EMEA Sales	APAC Sales	Worldwide OEM Sales
St. Paul, MN USA (800) 888-8458 +1-651-681-7600 <a href="http://www.ergotron.com">www.ergotron.com</a> <a href="mailto:sales@ergotron.com">sales@ergotron.com</a>	Amersfoort, The Netherlands +31 33 45 45 600 <a href="http://www.ergotron.com">www.ergotron.com</a> <a href="mailto:info.eu@ergotron.com">info.eu@ergotron.com</a>	Tokyo, Japan <a href="http://www.ergotron.com">www.ergotron.com</a> <a href="mailto:apaccustomerservice@ergotron.com">apaccustomerservice@ergotron.com</a>	<a href="http://www.ergotron.com">www.ergotron.com</a> <a href="mailto:info.oem@ergotron.com">info.oem@ergotron.com</a>

