



PowerEdge R330

Powerful and versatile 1-socket rack server for small and medium businesses (SMB) and remote office/branch office (ROBO).

The Dell PowerEdge R330 is an excellent first server or replacement server for SMB and also highly attractive as an affordable ROBO server for large institutions. Compared to the previous-generation PowerEdge R320, the R330 supports DDR4 memory vs. DDR3, PERC9 vs. PERC8, the integrated Dell Remote Access Controller 8 (iDRAC8) vs. iDRAC7, and an Intel® Xeon® E3 processor vs. an Intel Xeon E5 in the previous-generation server.

Discover greater versatility

Harness data growth with up to four internal 3.5-inch cabled or hot-plug hard drives, or up to eight 2.5-inch hot-plug hard drives. Grow memory capacity through time with four DIMM slots supporting up to 64GB of DDR4 memory to drive application performance and rapid response times. Adapt flexibly to changing workload conditions with a virtualization-ready server supporting Microsoft[®] Windows Server[®] with Hyper-V[®], VMWare[®] vSphere[®] ESXi[®] and Red Hat[®] Enterprise Virtualization.

Deliver powerful performance

Accelerate system boot time with up to two optional 1.8-inch SSDs. Drive 33% faster memory performance with DDR4 memory compared to DDR3. Boost I/O data throughput with two PCIe 3.0 slots for 2x data throughput compared to PCIe 2.0. Deliver 2x IOPS performance with R330/ PERC9 compared to the previous-generation R320/PERC8.

Maximize operational efficiency

Deploy smoothly and rapidly with Dell OpenManage systems management solutions. Easily monitor system health and behavior with simple, intuitive Dell OpenManage Essentials console. Gain additional levels of convenience and high availability protection with hot-plug hard drives and power supplies.

Innovative management with intelligent automation

The Dell OpenManage systems management portfolio includes innovative solutions that simplify and automate management tasks, making IT operations more efficient and more cost-effective throughout the server lifecycle. Leveraging the incomparable agent-free capabilities of the PowerEdge embedded iDRAC with Lifecycle Controller technology, server deployment, configuration and updates are rapid, confident and worry-free. Monitoring and control of the R330 is provided by OpenManage Essentials and can also enable anytime, anywhere mobile access through OpenManage Mobile.

PowerEdge R330

- 1-socket rack server with a powerful Intel Xeon E3-1200 v5 processor
- Up to 4 x DDR4 DIMMs
- Up to 4 x 3.5" hard drives or up to 8 x 2.5" hard drives

Features	Techincal specification		
Form factor	1U rack server	1U rack server	
Processor	1 processor from the following product families: • Intel® Xeon® processor E3-1200 v5 product family • Intel Pentium® • Intel Core™ i3 • Intel Celeron®	 Intel® Xeon® processor E3-1200 v5 product family Intel Pentium® Intel Core™i3 	
Chipset	Intel C236	Intel C236	
Operating system	Microsoft [®] Windows Server [®] 2012 Microsoft Windows Server 2012 R2, x64 Red Hat [®] Enterprise Linux [®] VMware [®] vSphere [®] ESXi [®] SUSE [®] Linux Enterprise Server	Microsoft Windows Server 2012 R2, x64 Red Hat® Enterprise Linux® VMware® vSphere® ESXi®	
Memory	Architecture: Up to 2133MT/s DDR4 DIMMs Memory type: UDIMMs Memory module sockets: 4 Maximum RAM: Up to 64GB	Memory type: UDIMMs Memory module sockets: 4	
Hypervisor support	Microsoft Windows Server with Hyper-V® VMware® vSphere® ESXi® Red Hat Enterprise Virtualization		
Storage	 1.8" SSDs 2.5" SATA SSDs 2.5" SATA 7.2k 2.5" SAS 15k HDDs 	 2.5" nearline SAS 7.2k 2.5" SAS 10K HDDs 3.5" Enterprise SATA 7.2k HDDs 3.5" nearline SAS 7.2k HDDs 	
Drive bays	 Up to 4 x 3.5" hot-swap HDD Up to 8 x 2.5" hot-swap HDD 		
Slots	2 x PCIe 3.0 slots + 1 slot for internal storage	2 x PCle 3.0 slots + 1 slot for internal storage	
RAID controllers	Internal controllers: PERC S130, PERC H330, PERC H730, PERC	Internal controllers: PERC S130, PERC H330, PERC H730, PERC H830	
Network controller	2 x 1GbE	2 x 1GbE	
Communications	2 x 1GbE LOM Click here for R330 supported network interface cards (NICs) to "Additional Network Cards" section.	Click here for R330 supported network interface cards (NICs) and host bus adapters (HBAs) and scroll	
Power	Up to 2 x 350W hot-plug redundant power supplies	Up to 2 x 350W hot-plug redundant power supplies	
Management	Systems management: • IPMI 2.0 compliant • Dell OpenManage Essentials • Dell OpenManage Mobile • Dell OpenManage Power Center Remote management: iDRAC8 with Lifecycle Controller, iDRAC8 Express (default), iDRAC8 Enterprise (upgrade), 8GB vFlash media (upgrade),16GB vFlash media (upgrade)	 Dell OpenManage Connections: HP Operations Manager, IBM Tivoli® Netcool® and CA Networ k and Systems Management, Dell OpenManage Plug-in for Oracle® Database Manage Dell OpenManage Integrations: Dell OpenManage Integration Suite for Microsoft System Center, Dell OpenManage Integration for VMware vCenter[®] 	
Device Access	5 total USBs: 2 front; 2 rear; 1 internal	5 total USBs: 2 front; 2 rear; 1 internal	
Rack Support		ReadyRails™ II sliding rails for tool-less mounting in 4-post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm.	

End-to-end technology solutions

Reduce IT complexity, lower costs and eliminate inefficiencies by making IT and business solutions work harder for you. You can count on Dell for endto-end solutions to maximize your performance and uptime. A proven leader in Servers, Storage and Networking, Dell Enterprise Solutions and Services deliver innovation at any scale. And if you're looking to preserve cash or increase operational efficiency, Dell Financial Services[™] has a wide range of options to make technology acquisition easy and affordable. Contact your Dell Sales Representative for more information.**

Learn More at Dell.com/PowerEdge

©2016 Dell Inc. All rights reserved. Dell, the DELL logo, the DELL badge, PowerEdge, and OpenManage are trademarks of Dell Inc. Other trademarks and tradenames may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. This document is for informational purposes only. Dell reserves the right to make changes without further notice to any products herein. The content provided is as is and without express or implied warranties of any kind. **Leasing and financing provided and serviced by Dell Financial Services LL.C. or its affiliate or designee ("DFS") for qualified customers. Offers may not be available or may vary in certain countries. Where available, offers may be changed without notice and are subject to product availability, credit approval, execution of documentation provided by and acceptable to DFS, and may be subject to minimum transaction size. Offers not available for personal, family or household use. Dell and the DELL logo are trademarks of Dell Inc.

