



Cisco Unified Wireless IP Phone 7925G Accessory Guide

This guide describes the accessories that you can order for your Cisco Unified Wireless IP Phone 7925G.

Contents

This document contains these sections:

- [Cisco Accessories, page 2](#)
- [Third-Party Accessories, page 8](#)
- [Part Numbers for Cisco Accessories, page 9](#)
- [Guidelines for Using Accessories and the Phone, page 10](#)
- [Related Documentation, page 10](#)
- [Obtaining Documentation and Submitting a Service Request, page 10](#)
- [Cisco Product Security Overview, page 10](#)



Cisco Accessories

This section describes the accessories that you can order from Cisco:

- [Batteries, page 2](#)
- [AC Power Supply, page 2](#)
- [Lock Set for the Phone, page 4](#)
- [Carry Cases, page 5](#)
- [USB Cable, page 7](#)

Batteries

Batteries for the Cisco Unified Wireless IP Phone 7925G are not included with the phone and must be ordered separately. See your local representative for more information.

[Table 1](#) describes the battery types. Refer to the [Cisco Unified Wireless IP Phone 7925G Phone Guide](#) for instructions on installing your battery.



Caution

Use only batteries ordered from Cisco that is compatible with the Cisco Unified Wireless IP Phone 7925G.

Table 1 Battery Types for the Cisco Unified Wireless IP Phone 7925G

Type	Technology	Talk Time	Standby Time	Battery Part Numbers
Standard	Lithium ion	Up to 9.5 hours	Up to 180 hours	CP-BATT-7925G-STD=
Extended	Lithium ion	Up to 13 hours	Up to 240 hours	CP-BATT-7925G-EXT=



Note

Using a Bluetooth wireless headset affects battery life and reduces the talk time. In addition, how the system administrator configures the phone also affects its battery life. For more information, see your system administrator.

AC Power Supply

The power supply with AC plug adapter shown in [Figure 1](#) enables you to quickly charge your phone battery. You can use the phone while you are charging the battery.

Figure 1 AC Power Supply

187628

1	Lift mini-USB port cover at bottom of phone.
2	Swing port cover to one side.
3	Insert the AC power supply mini-USB connector in the port.
4	Insert the AC plug adapter in the slot on the power supply.
5	Insert the AC power supply in a wall outlet.
6	Indicator light—LED is red while battery is charging and turns green when battery is charged.

Table 2 provides approximate battery charging times for the two battery types and power supply configurations. You can check the battery charging state on the phone display.

Table 2 Approximate Battery Charging Times

Battery Type	Power Supply Connected to Phone	Phone Connected to Computer with USB Cable
Standard	2 hours	5 hours
Extended	3 hours	7 hours

**Caution**

Use only Cisco specified AC power supplies for the Cisco Unified Wireless IP Phone 7925G.

Lock Set for the Phone

The lock set includes the cable, the C-ring, and the combination lock.

The security slot can accommodate a lock up to 20 mm. Compatible laptop cable locks include the Kensington laptop cable lock and other manufacturer's cable locks that fit into the security slot on the left side of the desktop charger.

**Note**


Cisco does not supply a laptop cable lock; you must purchase a cable lock from your local electronics supply source.

To install the lock on the phone, see [Figure 2](#) and follow these steps:

Procedure

-
- Step 1** Put the cable (with loops at each end) around a post or cable that is used to lock your computer.
 - Step 2** Put the two loops at the ends of the cable in the C-ring.
 - Step 3** Insert the C-ring in the slot on the back of the phone.
 - Step 4** Using the combination lock, fasten the two ends of the C-ring together to secure the phone.
-

Figure 2 **Lock Set for the Phone**



187685

1	Security cable—Insert cable loops through the C-ring.
2	C-ring—Insert C-ring with cable loops through slot on back of phone.
3	Combination lock—Use lock to secure ends of C-ring around cable loops and phone.

Carry Cases

Carry cases make it easy to keep the Cisco Unified Wireless IP Phone 7925G with you and provide some protection for the phone. These two types of carry cases are available for the phone:

- [Holster Carry Case, page 5](#)
- [Leather Carry Case, page 6](#)

Holster Carry Case

The holster carry case is a hard plastic case that holds the phone and has a clip on the back that rotates 180 degrees. See [Figure 3](#). Use the clip to secure the phone to a belt or pocket.

Figure 3 **Holster Carry Case**



Leather Carry Case

A leather carry case makes it easy to keep the phone with you and provide protection for the phone. See [Figure 4](#).

Features of the leather carry case include:

- A clear plastic window that allows you to view the screen and provides easy access to the keys and buttons.
- Openings for the microphone, headset port, and mini-USB port allow you to use and charge the phone without removing the leather carry case.
- A removable belt clip on the back that rotates 360 degrees.
- A security cord with a ring on one end that slides onto the D-ring on the back of the carry case. You can fasten the other end of the cord to a belt loop to secure the phone.




Note

After you insert the phone in the leather carry case, you may need to adjust the alignment so the microphone (at bottom of phone) is not covered. See [Figure 5](#).

Figure 4 *Leather Carry Case with Phone*



Figure 5 *Leather Case Opening for Microphone and Mini-USB Port*




1	Microphone	2	Mini-USB port with cover
---	------------	---	--------------------------

USB Cable

You can use a standard USB cable to connect your Cisco Unified Wireless IP Phone 7925G to a computer to configure a new phone for the first time or to charge the phone battery. See [Figure 6](#).

Figure 6 USB Cable Connecting the Phone to a PC



187639

1	Mini-USB connector for the phone.
2	Standard USB connector for the PC.
3	Indicator light—LED is red while battery is charging and turns green when battery is charged.

Third-Party Accessories

Accessories such as chargers for the phone and batteries, and cover cases for the Cisco Unified Wireless IP Phone 7925G are available from third parties.

For more information, go to this URL: www.zcover.com



Note

Third-party accessories are not tested by Cisco. It is recommended that you test them in your environment before providing them to users.

Headsets

The Cisco Unified Wireless IP Phone 7925G supports the use of third-party wired and Bluetooth wireless headsets.

For wired headsets, the phone requires a 2.5 mm, 3-band / 4 conductor plug headset or ear bud.

Wireless Bluetooth Headsets

Using Bluetooth wireless headsets increases battery power consumption on your phone and results in reducing talk time for the battery.

For a Bluetooth wireless headset to work, it does not need to be within direct line-of-sight of the phone, but some barriers, such as walls or doors, and interference from other electronic devices, could affect the connection.

Obtaining Headsets

The audio portion of a headset must sound good to the user and to the party on the far end. Sound is subjective and Cisco cannot guarantee the performance of any headsets, but some of the headsets on the sites listed below have been reported to perform well on Cisco Unified Wireless IP Phones.

For information about headsets, go to the following URLs:

<http://www.plantronics.com>

<http://www.jabra.com>

<http://www.jawbone.com>



Note

It is recommended that you test your headsets in your own environment to determine suitable performance.

Part Numbers for Cisco Accessories

Table 3 lists all accessories that you can order from Cisco and their part numbers.

To purchase these accessories, contact your local dealer or corporate representative.

Table 3 *Cisco Unified Wireless IP Phone 7925G Accessories*

Phone Accessories	Part Number
Standard battery	CP-BATT-7925G-STD=
Extended battery	CP-BATT-7925G-EXT=
Holster carry case	CP-HOLSTER-7925G=
Leather carry case	CP-CASE-7925G=
USB cable for phone	CP-CAB-USB-7925G=
Phone lock set	CP-LOCK-7921G=
Phone power supply for Australia and New Zealand	CP-PWR-7925G-AU=
Phone power supply for Central Europe	CP-PWR-7925G-CE=
Phone power supply for China	CP-PWR-7925G-CN=
Phone power supply for Argentina	CP-PWR-7925G-AR=
Phone power supply for Japan	CP-PWR-7925G-JP=
Phone power supply for North America	CP-PWR-7925G-NA=
Phone power supply for United Kingdom	CP-PWR-7925G-UK=

Guidelines for Using Accessories and the Phone

Follow these guidelines when using accessories and your Cisco Unified Wireless IP Phone 7925G:

- Use only chargers, batteries, and accessories that are approved by the Cisco Unified Wireless IP Phone 7925G manufacturer. Use of unapproved chargers, batteries, and accessories might be dangerous, and will invalidate the warranty on your phone.
- Do not adhere a clip to the back of the phone or insert a clip between the phone and battery cover because it can damage the battery.
- When disconnecting the power cord of any accessory, grasp and pull the plug. Do not pull the cord.
- Keep accessories out of reach of young children.
- Clean the phone with a soft dry cloth or a moist wipe.
- The phone is resistant to dust and spills, but you can further protect your phone with a cover case.

Related Documentation

For more information, see the documentation for the Cisco Unified Wireless IP Phone 7925G at this URL:

http://www.cisco.com/en/US/products/hw/phones/ps379/tsd_products_support_series_home.html



Note

For the latest information about the Cisco Unified Wireless IP Phone 7925G, refer to the *Cisco Unified Wireless IP Phone 7925G Firmware Release Notes for Cisco Unified Communications Manager*. You can access the release notes from Cisco.com by performing a keyword search for “7925G release notes.”

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

Cisco Product Security Overview

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at: <http://www.cisco.com/wl/export/crypto/tool/stqrg.html>. If you require further assistance please contact us by sending email to export@cisco.com.

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0809R)

© 2008, Cisco Systems, Inc. All rights reserved.

